



Jato® 4X4 Brushless (Model 90154-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9018	Body, Jato® 4X4 Brushless (clear, requires painting)/window masks, decal sheet
9018-BLUE	Body, Jato® 4X4 Brushless, blue (painted, decals applied)
9018-GRN	Body, Jato® 4X4 Brushless, green (painted, decals applied)
9018-RED	Body, Jato® 4X4 Brushless, red (painted, decals applied)
9021	Latch, body mount, left (1)/ right (1) (for clipless body mounting) (attaches to #9018 body)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6877A	Cover, gear (clear)
6877	Cover, gear/ motor wire hold-down clip
6814	Differential kit, center (complete)
6780A	Differential kit, center (complete)
6780	Differential kit, center (complete) (aluminum carrier)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6855	Driveshaft, center, 6061-T6 aluminum (blue-anodized)
6855G	Driveshaft, center, 6061-T6 aluminum (green-anodized)
6855R	Driveshaft, center, 6061-T6 aluminum (red-anodized)
7455	Driveshaft, center, plastic (black)/ screw pin
6790	Gear adapters, fixed, Rustler® 4x4
5148	Grease, white lithium
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
7490	Plate, motor
7490G	Plate, motor, green
7490A	Plate, motor, orange
7490R	Plate, motor, red
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Chassis & Attachments

7426	Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
7426X	Battery hold-down, tall (1)/ hold-down retainer, front & rear (1 each) (allows for installation of taller, multi-cell batteries)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
7422-DKGRY	Chassis, charcoal gray
7422-GRAY	Chassis
9024	Chassis brace (center)
9024-BLUE	Chassis brace (center), 6061-T6 aluminum (blue-anodized)
9024-GRAY	Chassis brace (center), 6061-T6 aluminum (gray-anodized)

9024-GRN	Chassis brace (center), 6061-T6 aluminum (green-anodized)
9024-ORNG	Chassis brace (center), 6061-T6 aluminum (orange-anodized)
9024-RED	Chassis brace (center), 6061-T6 aluminum (red-anodized)
7420	Clipless mounts, body (left & right) (for #7412 series bodies)
9025	Mounts, chassis brace (front & rear)
9045	Mounts, sway bar (front & rear)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9044	Skid plates (front & rear)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780A	Differential kit, center (complete)
6814	Differential kit, center (complete)
6780	Differential kit, center (complete) (aluminum carrier)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
6881	Housings, differential, front
6880	Housings, differential, rear
6782	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone Grease
9085	Wheel hubs, hex (4)/ axles (4)/ axle pins (4)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
6855	Driveshaft, center, 6061-T6 aluminum (blue-anodized)
6855G	Driveshaft, center, 6061-T6 aluminum (green-anodized)
6855R	Driveshaft, center, 6061-T6 aluminum (red-anodized)
7455	Driveshaft, center, plastic (black)/ screw pin
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)

Page 2 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

- 9052R Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
- 9055X Half shaft, external splined (steel-spline constant velocity) (1)
- 9056X Half shaft, internal splined (steel-spline constant velocity) (1)
- 9058X Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
- 9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
- 9054 Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
- 9053 Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
- 5452X U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (6)/ 3x6x0.5 MW (4)) (metal parts for 2 driveshafts)

Extreme HD Upgrade Kit

- 9050 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050X Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050G Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050T Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9050R Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032X Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032G Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032T Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032R Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
- 9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
- 9052 Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
- 9051R Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
- 9052R Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
- 9080 Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
- 9080X Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
- 9080-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
- 9080G Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green
- 9080T Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
- 9080R Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
- 9043 Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
- 9033-BLUE Shock tower, front (blue)
- 9033-GRAY Shock tower, front (gray)

- 9033-GRN Shock tower, front (green)
- 9033-ORNG Shock tower, front (orange)
- 9033-RED Shock tower, front (red)
- 9034-BLUE Shock tower, rear (blue)
- 9034-GRAY Shock tower, rear (gray)
- 9034-GRN Shock tower, rear (green)
- 9034-ORNG Shock tower, rear (orange)
- 9034-RED Shock tower, rear (red)
- 9037 Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9037X Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9037-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9037G Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9037T Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9037R Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9056 Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
- 9055 Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
- 9054 Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
- 9053 Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
- 9042 Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
- 9042X Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
- 9069 Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)

Front Suspension & Steering

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 7430X Bulkhead, front
- 9029 Camber links, front (90mm) (2) (assembled with hollow balls)
- 9032 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032X Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032G Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032T Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9032R Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
- 9057 Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
- 9051 Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
- 9051R Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
- 6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 9033-BLUE Shock tower, front (blue)
- 9033-GRAY Shock tower, front (gray)
- 9033-GRN Shock tower, front (green)
- 9033-ORNG Shock tower, front (orange)
- 9033-RED Shock tower, front (red)

Page 3 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	3383
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3340
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6790
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2072A 7460A
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	7460R 3384
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	7490
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	7490G 7490A 7490R
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	3347 3932
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)	2254
3655-BLK	Suspension arms, front/rear (left & right), heavy duty (2)	2253
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)	2074
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)	2075R
3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)	2075
6834	Suspension pin set, complete (front and rear)	2250
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)	2255
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)	2280
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)	2075X 3350R

BL-2s™	Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
Cooling fan,	electronic speed control, Velineon® VXL-3s or BL-2s™
Gear adapters,	fixed, Rustler® 4x4
Gear set	(for 2070, 2075 servos)
Motor mount	(assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
Motor mount,	6061-T6 aluminum (blue-anodized)
Motor,	BL-2s™ 3300, brushless
Plate,	motor
Plate,	motor, green
Plate,	motor, orange
Plate,	motor, red
Screws,	2.5x5mm button-head machine (hex drive) (6)
Screws,	3x6mm flat-head machine (hex drive) (6)
Servo case,	aluminum (middle) (blue-anodized) (for 2250 servo)
Servo case,	aluminum (middle) (red-anodized) (for 2255 servo)
Servo case/gaskets	(for 2056 and 2075 waterproof servos)
Servo,	digital high-speed, metal gear (ball bearing), waterproof
Servo,	digital high-torque (ball bearing), waterproof
Servo,	digital high-torque 330 coreless, metal gear (ball bearing), waterproof
Servo,	digital high-torque 400 brushless, metal gear (ball bearing), waterproof
Servo,	digital high-torque 600 brushless, metal gear (ball bearing), waterproof
Servo,	digital high-torque, metal gear (ball bearing), waterproof
Velineon® VXL-3s	Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool	
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	
1589	Double-sided adhesive tape (25mm x 25mm)	
2745	Nuts, 3mm nylon locking (12)	
1747	Nuts, 4mm nylon locking (10)	
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	
3965	Screws, 2.5x8mm cap-head machine (6)	
2577	Screws, 3x10mm button-head machine (hex drive) (6)	
2578	Screws, 3x12mm button-head machine (hex drive) (6)	
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	
2579	Screws, 3x15mm button-head machine (hex drive) (6)	
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	
2583	Screws, 3x18 button-head machine (hex drive) (6)	
2580	Screws, 3x20mm button-head machine (hex drive) (6)	
2591	Screws, 3x23mm button-head machine (hex drive) (6)	
2582	Screws, 3x30mm button-head machine (hex drive) (6)	
2592	Screws, 3x40mm button-head machine (hex drive) (6)	
2575	Screws, 3x6mm button-head machine (hex drive) (6)	
2534	Screws, 3x6mm countersunk machine (6) (hex drive)	
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	
2576	Screws, 3x8mm button-head machine (hex drive) (6)	
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench	
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	
3937	Screws, 4x12mm button-head machine (hex drive) (6)	
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	
2743	Set (grub) screws, 3mm hardened (12)	
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	
2754	Stub axle pins (4)	
2746	Washers, 3x6mm metal (12)	
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)	
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)	
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)	
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)	
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)	
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)	
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)	

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)	

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2942X	3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2941X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
2952X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2951X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)

2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

90154-4	Jato® 4X4 Brushless: 1/8 Scale 4WD Electric Racing Buggy with TQ™ 2.4GHz Radio System
---------	---

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7429	Bulkhead, rear
9028	Camber links, rear (81mm) (2) (assembled with hollow balls)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9034-BLUE	Shock tower, rear (blue)
9034-GRAY	Shock tower, rear (gray)
9034-GRN	Shock tower, rear (green)
9034-ORNG	Shock tower, rear (orange)
9034-RED	Shock tower, rear (red)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655-BLK	Suspension arms, front/rear (left & right), heavy duty (2)
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shock Oil

Shocks (GTR)

7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467-GRAY	Body, GTR xx-long shock, gray (2)
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
7465T	Shaft, GTR xx-long, TiN-coated (2)
7462-GRAY	Shocks, GTR xx-long (gray) (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Slipper Clutch Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6814	Differential kit, center (complete)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))

Page 5 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

2554	Screws, 3x6mm caphead machine (hex drive) (6)	7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
5556	Slipper pressure plate & hub (aluminum alloy)	7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5351	Slipper pressure plate and hub (alloy)	5480X	Wheel wrench, splined, 17mm

Spur Gears & Pinion Gears

6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	3433X
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	3433
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	3436
3919	Gear, 12-T pinion (32-pitch)/ set screw	3432
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	3431
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8712
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8720
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)	8721
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)	8722
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)	8710
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)	
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)	
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	8711
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	

Steering Components

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)	
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)	
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)	8716
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)	8716X
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/wrench	8715
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	8715X

Suspension Linkage

9029	Camber links, front (90mm) (2) (assembled with hollow balls)	
9028	Camber links, rear (81mm) (2) (assembled with hollow balls)	2748R
6834	Suspension pin set, complete (front and rear)	
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)	3415
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)	
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)	

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
9073	Tires & wheels, assembled, glued (3.0" black wheels, Sledgehammer® tires, foam inserts) (2)
9074-BLK	Tires & wheels, assembled, glued (black dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)
9074-GRN	Tires & wheels, assembled, glued (green dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)
9074-WHT	Tires & wheels, assembled, glued (white dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)
9074-YLW	Tires & wheels, assembled, glued (yellow dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2)
9085	Wheel hubs, hex (4)/ axles (4)/ axle pins (4)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

9029	Camber links, front (90mm) (2) (assembled with hollow balls)
9028	Camber links, rear (81mm) (2) (assembled with hollow balls)
9027	Toe links, molded composite, 98mm (88mm center to center) (black) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM