



4-Tec® 2.0 Brushless AWD Chassis (Model 83124-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

8319	Body bumper, foam
1834	Body Clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
8315	Body mounts, front & rear (2)
8316	Body mounts, front & rear/ body mount posts/ body mount sliders
8317	Body washers, foam
8391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)
8391A	Body, Cadillac CTS-V, blue (painted, decals applied)
8391X	Body, Cadillac CTS-V, silver (painted, decals applied)
8386	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)
8386X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)
8386A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)
8386R	Body, Chevrolet Corvette Z06, red (painted, decals applied)
8311	Body, Ford GT (clear, requires painting)/ decal sheet (includes tail lights, exhaust tips, & mounting hardware)
8311X	Body, Ford GT, black (painted, decals applied)
8311A	Body, Ford GT, blue (painted, decals applied)
8311R	Body, Ford GT, red (painted, decals applied)
8312	Body, Ford Mustang (clear, requires painting)/ window masks/ decal sheet
8312X	Body, Ford Mustang, black (painted, decals applied)
8312A	Body, Ford Mustang, grabber blue (painted, decals applied)
8312T	Body, Ford Mustang, orange (painted, decals applied)
8336	Bumper, rear (1)/ rear body mount (1)
8393	Decal sheet, Cadillac CTS-V
8387	Decal sheets, Chevrolet Corvette Z06
8392	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips (4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3) (fits #8391 body)
8388	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2) (fits #8386 body)
8314	Tail lights (2)/ tail light mounts (4) / exhaust tip (2)/ exhaust tip mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)

Brake Components

8367	Brake calipers (red), front (2)/ rear (2)
8356	Wheel hubs, hex (disk brake rotors) (4)

Center Driveline

7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
8330	Bulkhead, front
8329	Bulkhead, rear
8355X	Driveshaft, center, aluminum (blue-anodized)
8355	Driveshaft, center, aluminum / pin
8355G	Driveshaft, center, aluminum / pin, green
8355R	Driveshaft, center, aluminum / pin, red
8349	Driveshaft, center, steel/ pin
8381	Housing, differential (front)
8380	Housing, differential (rear)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Chassis & Attachments

8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
8319	Body bumper, foam
8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
8335	Bumper, front (1 each, upper & lower)
8336	Bumper, rear (1)/ rear body mount (1)
8322	Chassis
8321	Chassis brace (front)
8323	Gear cover (rear chassis brace)

Differential Components

8330	Bulkhead, front
8329	Bulkhead, rear
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
8381	Housing, differential (front)
8380	Housing, differential (rear)
8379	Housing, spool / spool shaft/ bushing
5136	Oil, differential (30K wt) (1.7 oz (50cc))
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
8353	Drive cups, inner (2)/ screw pins (2)
8355X	Driveshaft, center, aluminum (blue-anodized)
8355	Driveshaft, center, aluminum / pin
8355G	Driveshaft, center, aluminum / pin, green
8355R	Driveshaft, center, aluminum / pin, red
8349	Driveshaft, center, steel/ pin
8350	Driveshaft, front (2)
8351	Driveshaft, rear (2)
8350X	Driveshafts, steel constant-velocity (assembled), front (2)
8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
8382	O-rings (12)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8356	Wheel hubs, hex (disk brake rotors) (4)

Front Suspension & Steering

8330	Bulkhead, front
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8338	Shock towers, front & rear
8343	Steering bellcranks/ hardware
8337	Steering block (2)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8333	Suspension arms, front (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Page 2 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Hardware

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 1834A Body clips, black (12) (standard size)
- 4859 CS 3x10 flathead (hex drive)
- 1633 E-clips/ C-rings
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm caphead machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)

Motors & Electronics

- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3382 BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
- 3383 BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 3340 Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™
- 2072A Gear set (for 2070, 2075 servos)
- 3384 Motor, BL-2s™ 3300, brushless
- 8390 Plate, motor
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))

Radio System, Batteries & Chargers

- 2827X 3000mah 7.4v 2-Cell LiPo Battery
- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2914 AA 4PK
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2985-2S Battery/charger complete pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
- 2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)

- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6560 Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 2912 Power adapter, AC, USB-C (45W) (110 volt, North America only)
- 2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module

Rear Suspension

- 8329 Bulkhead, rear
- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8348 Camber links, steel, rear (28mm) (2)
- 8352 Carriers, stub axle (left & right)
- 8380 Housing, differential (rear)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 8338 Shock towers, front & rear
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8331 Suspension arms, rear (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)

Page 3 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

- 5029 Shock oil bottle (60cc) (for mixing shock oil)
 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
 5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

- 2658 Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 aluminum)(assembled with TiN shafts) with springs (f/r) (2)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 8361 Shock caps (black) (4) (assembled with hollow balls)
 2667 Shock caps, aluminum (2) (Big Bore Shocks)
 4262 Shock shaft, hard chrome (32mm) (rear) (2)
 4261T Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
 1765 Silicone diaphragms (4)
 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 3767 Shock caps (2)/ shock bottoms (2)
 8361 Shock caps (black) (4) (assembled with hollow balls)
 2362 Shock rebuild kit (for 2 shocks)
 4262 Shock shaft, hard chrome (32mm) (rear) (2)
 4261T Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2)
 4262T Shock shafts, hardened steel, titanium nitride coated (32mm) (2)
 1765 Silicone diaphragms (4)
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
 8362X Spring, shock (blue) (2)
 8362G Spring, shock (green) (2)
 8362P Spring, shock (pink) (2)
 8366 Spring, shock (red) (2.8 rate, white stripe) (2)
 8365 Spring, shock (red) (3.325 rate, orange stripe) (2)
 8362 Spring, shock (red) (3.7 rate) (2)
 8363 Spring, shock (red) (4.075 rate, green stripe) (2)
 8364 Spring, shock (red) (4.4 rate, black stripe) (2)
 8360 Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

- 8323 Gear cover (rear chassis brace)
 2419 Gear, 19-T pinion (48-pitch) / set screw
 2421 Gear, 21-T pinion (48-pitch) / set screw
 2422 Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
 2424 Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw
 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
 2429 Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw
 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
 8358 Spur gear, 55-tooth
 8359 Spur gear, 62-tooth
 8357 Spur gear, 70-tooth
 8368 Spur gear, 72 tooth (48 pitch)

Steering Components

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
 8344 Servo saver/ servo saver spring/ servo horn, steering
 8343 Steering bellcranks/ hardware
 8342 Toe links, steel (34mm) (2)
 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Suspension Linkage

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
 8346 Camber links, steel, front (32mm) (2)
 8348 Camber links, steel, rear (28mm) (2)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 8342 Toe links, steel (34mm) (2)
 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

- 9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
 2514 Decal sheet, racing sponsors
 9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 8378 Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
 8375 Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)
 8373 Tires & wheels, assembled, glued (split-spoke black wheels, 1.9" Response tires) (front) (2)
 8374 Tires & wheels, assembled, glued (split-spoke black wheels, 1.9" Response tires) (extra wide, rear) (2)
 8376G Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
 8377G Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
 8374G Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
 8373G Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) VXL Rated (front) (2)
 8376A Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
 8377A Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
 8374A Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (extra wide, rear) (2)
 8373A Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) VXL Rated (front) (2)
 8370 Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)
 8369 Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
 8371 Wheels, 1.9" split-spoke (black chrome) (front) (2)
 8372 Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
 3433 Body reamer (plastic handle)
 3436 Cap, body reamer
 3432 Scissors, curved tip
 3431 Scissors, straight tip
 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
 8720 Speed bit handle, large (overmolded)
 8721 Speed bit handle, medium (one piece)
 8722 Speed bit handle, premium (rubber overmold)
 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

Page 4 4-Tec® 2.0 Brushless AWD Chassis: TQ™ 2.4GHz Radio (Model 83124-4) Parts List

8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8346	Camber links, steel, front (32mm) (2)
8348	Camber links, steel, rear (28mm) (2)
8348	Camber links, steel, rear (28mm) (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
8342	Toe links, steel (34mm) (2)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM