Instruction Manual





Power Supply Systems



POWERBO> ~ TERMINAL

DOWNLOADING POWERBOX TERMINAL

You can download **PowerBox Terminal** using the following link: https://powerbox-systems.com/fileadmin/_Downloads/PB_Terminal/PowerBox-Terminal.exe

Alternatively you can download the software in our download area from our homepage at **www.powerbox-systems.com**

INSTALLATION

First you have to save the file, this window appears:



After saving the software, it should be in your download folder. Open the file with a double-click.

In the next step, the following window appears:



Here you confirm by **setting the check** that you agree with the license agreement. Then click on **Install**.

Finally, you will be informed that the setup was successful. You can close this window after this.

🧖 PowerBox Terminal Setup		-		\times
PowerBox Systems	Setup erfolgreich			
			Schlie	ßen

Now the **USB interface adapter** can be connected with the computer and the **Power-Box terminal** can be started with the shortcut on the desktop.



CHANGE LANGUAGE

After starting the **PowerBox Terminal**, you can change the language between German and English by clicking on the flags in the upper right corner.

	Juve / Mestore	LightBox	GPS II	Teleconverter	PowerBox Systems
		PowerExpander	iGyro 3e	iGyro 1e	World Leaders in RC Power Supply Systems
PowerBox Receiver	Core Update	MicroMatch	SparkSwitch Pro		
					PowerBox Device
Diagon corru o	ut the following	stops			1
Please carry 0	ut the following	steps.			PowerRoy Systems
1 Connect the PowerBox device to a fully charged battery.			Hour Laster in RC		
_					/
Connect the USB Interface to the PowerBox device.					
Use the Sen	sorSwitch to select "UF	PDATE" or "PC-CONTR	OF " noint in the m	enue on vour	

The change does not take effect until the program is restarted. You will also be informed about this with the following note, which you can close with **OK**.



Now restart the PowerBox Terminal and the change of the language is complete.

CONNECT DEVICES

Powerbox-S	ystems Terminal	
Powe	erBox Terminal	
Software	Update Info	PowerBox Systems
		Whith Leaders in RC Power Supply Systems
Please c	arry out the following steps:	PowerBox device
1	Connect the PowerBox device to a fully charged battery.	
2	Connect the USB interface adapter to the computer and the PowerBox device.	
3	Use the Sensor-Switch to select the "UPDATE" or "PC-CONTROL" point in the menu on your device.	
	Continue	

There are two types of devices: the ones with display and the ones without display.

Devices with display:

- Switch on the device and go to the menu
- Select PC Control
- Connect the USB cable to the correct input (see list below)
- Click on Software Update in the upper left corner of the terminal
- Follow the instructions on the screen

Devices without display:

- Select the device in the upper right corner
- Follow the instructions on the screen

In the list below you can see where the USB cable has to be connected to the **Power-Box** devices:

Royal/Champion SRS: TELE on the right side Competition/Cockpit, Professional (SRS): TELE on the left side Mercury SRS: TELE right on the front iGyro SRS: GPS input iGyro 1e/3e: marked USB input SparkSwitch PRO: TELE MicroMatch: marked USB input Teleconverter: connection PowerBox

PowerBox-Systems GmbH

certified according to DIN EN ISO 9001

Ludwig-Auer-Straße 5 D-86609 Donauwoerth Germany

► +49-906-99 99 9-200
➡ +49-906-99 99 9-209

www.powerbox-systems.com