



TRX-4® Ford® F-150® High Trail Edition™ (Model 92046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

| | |
|--------------|---|
| 8241 | Axle housing, front |
| 8242 | Axle housing, intermediate (TRX-6™) or rear (TRX-4®) |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) |
| 8228 | Axle shaft, front (left)/ drive pin/ cross pin |
| 8229 | Axle shaft, front (right)/ drive pin/ cross pin |
| 8060 | Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled) |
| 8230 | Axle shaft, rear (left) |
| 8231 | Axle shaft, rear (right) |
| 8063 | Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) |
| 8061 | Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled) |
| 8147 | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) |
| 9283 | Cable, T-lock, rear (185mm) |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) |
| 8256 | Portal drive axle mount, rear (left & right) |
| 8256X | Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256A | Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256G | Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256R | Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4) |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) |
| 8253 | Portal drive housing, inner, rear (left or right) (2) |
| 8251 | Portal drive housing, outer (front or rear) (2) |
| 8064 | Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin |
| 8259 | Portal drive input gear, rear |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) |
| 8258 | Portal drive output gear, front or rear |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) |
| 8252G | Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2) |
| 8252R | Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) |
| 8253X | Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) |
| 8253A | Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2) |
| 8253G | Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) |
| 8253R | Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) |
| 8251X | Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) |
| 8251A | Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) |
| 8251G | Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) |
| 8251R | Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) |
| 8255A | Stub axle, extended thread (portal drive) (2) |
| 8267 | Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, #8251R, #8251A, or #8251G outer portal housing) |

Bearings & Bushings

| | |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5102A | Ball bearings, black rubber sealed (15x21x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2) |

| | |
|-------|---|
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

Body (1979 Chevrolet® K10 Truck)

| | |
|--------------|--|
| 9226 | Body cage (fits #9212 body) |
| 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 9212 | Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) |
| 9212X | Body, Chevrolet K10 Truck (1979), complete, black (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 9212R | Body, Chevrolet K10 Truck (1979), complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8134 | Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies) |
| 8082 | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8039 | LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028 power supply) |
| 8038 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8038X | Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right)/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right)/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies) |

Body (1979 Ford® F-150® Truck)

| | |
|------------------|--|
| 9233 | Body cage, front & rear (fits #9230 body) |
| 9234 | Body mounts, front & rear (fits #9230 body) |
| 9230 | Body, Ford F-150 (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BLK | Body, Ford F-150 (1979), complete, black (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BLUE | Body, Ford F-150 (1979), complete, blue (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BRWN | Body, Ford F-150 (1979), complete, brown (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |

| | |
|--------------|---|
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8075 | Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies) |
| 8070 | Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies) |
| 8032R | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8036R | LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires #8028 power supply) |
| 8035 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body) |
| 8035A | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 8037 | LED lights, high/low switch (for #8035 or #8036 LED light kits) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9231 | Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/ 2.6x10mm BCS (6) (fits #9230 body) |
| 8076 | Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies) |
| 9232 | Tailgate panel/ tail light lens (left & right)/ tail light housing (left & right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body) |

Body Accessories

| | |
|--------------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1834 | Body Clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 8215 | Body mounts & posts, front & rear (complete set) |
| 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 8115 | Body posts, front & rear |
| 4915 | Body washers, foam adhesive (10) |
| 2514 | Decal sheet, racing sponsors |
| 8081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |

Bumpers & Skidplates

| | |
|--------------|--|
| 8234 | Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) |
| 8234R | Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) |
| 8067X | Bumper mounts, front & rear/ bumper mount, rear (offset) |
| 8237 | Bumper mounts, front & rear/ screw pins (4) |
| 8124 | Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) |
| 8069X | Bumper, front (chrome)/ bumper mount (2)/ 3x10 BCS (2) |
| 8235 | Bumper, front/ winch/ 2.6x8 BCS (1) |
| 8236 | Bumper, rear |
| 8125 | Bumper, rear (176mm wide) |
| 8068 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9237 | Extender, skid plate |
| 8066 | Push bar, bumper (chrome) (fits #8069 bumper) |
| 8238 | Skidplate/ lower gear cover |

Chassis & Attachments

| | |
|--------------|--|
| 8215 | Body mounts & posts, front & rear (complete set) |
| 8224 | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) |
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) |
| 8220 | Chassis rails, 448mm (steel) (left & right) |
| 9229 | Chassis rails, 480mm (steel) (left & right) |
| 8081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders) |
| 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) |
| 8080X | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| 8218 | Floor pans, left & right |
| 8224X | Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease |
| 8219 | Rock sliders, left & right |
| 8225 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 8240X | Servo mount, 2-speed/ servo mount, T-Lock/ wire clips |
| 8239 | Servo mount, steering/ chassis crossmember |
| 8216 | Shock towers, front & rear (left & right) |
| 8226 | Tray, battery |

Differential Components

| | |
|-----------------|--|
| 8281 | Carrier, differential/ differential slider/ T-Lock fork |
| 8280A | Differential cover, front or rear (black) |
| 8280X | Differential cover, front or rear (chrome plated) |
| 8280-GRN | Differential cover, front or rear (green) |
| 8280 | Differential cover, front or rear (grey) |
| 8280R | Differential cover, front or rear (red) |
| 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) |
| 8282 | Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2)) |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8279 | Ring gear, differential/ pinion gear, differential |
| 8279R | Ring gear, differential/ pinion gear, differential (machined) |
| 8287 | Ring gear, differential/ pinion gear, differential (overdrive, machined) |
| 8288 | Ring gear, differential/ pinion gear, differential (underdrive, machined) |
| 8297 | Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4) |

Driveline Components

| | |
|--------------|---|
| 9250 | Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) |
| 8250 | Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) |
| 8255A | Stub axle, extended thread (portal drive) (2) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) |

Hardware

| | |
|--------------|---|
| 1552 | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) |
| 1834 | Body Clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 4859 | CS 3x10 flathead (hex drive) |
| 8167X | Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) |

| | | | |
|-------|--|-----------|---|
| 8298 | Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) | 8148 | Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) |
| 8151 | Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) | 9283 | Cable, T-lock, rear (185mm) |
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball | 8150 | Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | 8140 | Long arm lift kit, TRX-4®, complete |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | 8140X | Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) |
| 8347 | Nuts, 4mm flanged nylon locking, serrated (black) (10) | 8140-GRN | Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 8140R | Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) | 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 8161 | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 8160X | Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8221 | Screw pin, 3x10mm (6) | 8160-GRN | Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 9236 | Screws, 1.6x10mm button-head, self-tapping (hex drive) (6) | 8160R | Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2523 | Screws, 2.5x10 countersunk machine (hex drive) (6) | 8160 | Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) | 8153 | Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 3236 | Screws, 2.5x12mm cap-head machine (6) | 8154 | Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2618 | Screws, 2.5x16mm cap-head machine (6) | 8155 | Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) | 8156 | Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2524 | Screws, 2.5x8 countersunk machine (hex drive) (6) | 8157 | Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2617 | Screws, 2.5x8mm button-head machine (hex drive) (6) | 8146X | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) | 8146R | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8299 | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) | 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8167 | Screws, 2x10mm cap-head, self-tapping (hex drive) (10) | 8144R | Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2564 | Screws, 2x8mm cap-head machine (hex drive) (6) | 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) | 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) | 8143X | Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) | 8143R | Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) | 8145 | Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 2581 | Screws, 3x25mm button-head machine (hex drive) (6) | 8145X | Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 2616 | Screws, 3x27mm button-head machine (hex drive) (6) | 8145R | Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) | 8142 | Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) | 8142X | Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) | 8142R | Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) | 8172 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) | 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 3933 | Screws, 4x16mm button-head machine (hex drive) (6) | 8181-BLUE | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |

LED Light Accessories

| | |
|-------|--|
| 8031 | 3-in-1 wire harness, LED light kit |
| 8089 | 4-in-2 wire harness, LED light kit |
| 6589 | Distribution block, LED light set |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8032R | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8036R | LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires #8028 power supply) |
| 8028 | LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness |
| 8026X | LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |

Long Arm Lift Kit

| | | | |
|-------|--|-----------|---|
| 8162X | Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit) | 8181-BLUE | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8162R | Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) | 8181-GRN | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8162 | Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) | | |
| 8147 | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) | | |

- 8181-RED Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8181 Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8170 Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
- 8171 Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
- 8171A Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
- 8180 Wheels, TRX-4® Sport 2.2 (2)
- 8180-BLUE Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
- 8180-GRN Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
- 8180-RED Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)

- 8856 Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
- 8857 Wireless remote, winch, TRX-4® and TRX-6®

Radio System, Batteries & Chargers

- 2823X 1400mah 11.1v 3-Cell 25C LiPo Battery
- 2820X 2200mah 7.4v 2-Cell 25C LiPo Battery
- 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
- 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2914 Battery, Power Cell AA Alkaline (4)
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 8222 Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
- 2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6561 Mount, telemetry expander
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
- 2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)

Motors & Electronics

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
- 8290G Motor mount plate, 6061-T6 aluminum (green-anodized)
- 8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
- 3975R Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
- 8290 Plate, motor/ upper spur gear cover
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
- 2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065A Servo, sub-micro, waterproof
- 2065R Servo, sub-micro, waterproof, metal gear
- 3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
- 2261 Y-harness, BEC

Pro Scale® Winch & Accessories

- 8867 Bumper, front, winch, medium (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide)
- 8859 Fairlead, winch
- 8870X Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870A Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870G Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870T Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870R Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8862 Gearmotor, winch
- 8863 Hook, winch (steel)/ line retainer/ washer
- 8858 Housings (front & rear), winch/ decal
- 8864X Line, winch (blue)
- 8864 Line, winch (gray)
- 8864R Line, winch (red)
- 8860 Spool shaft assembly, winch
- 8861 Spool, winch
- 8855 Winch kit with wireless controller, TRX-4® and TRX-6®

- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065A Servo, sub-micro, waterproof
- 2065R Servo, sub-micro, waterproof, metal gear
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 2261 Y-harness, BEC

- 8260R Shocks, GTS, red-anodized (assembled with spring retainers) (2)
- 8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)

Slipper Clutch Components

- 8292 Input shaft/ output shaft (transmission)
- 8286 Output shafts (transfer case), front & rear
- 8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))
- 8249 Slipper eliminator plate

Springs

- 8041 Springs, shock (GTS) (front) (0.45 rate) (2)
- 8040 Springs, shock (GTS) (rear) (0.54 rate) (2)
- 8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
- 8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
- 8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
- 8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

Spur Gears & Pinion Gears

- 6746 Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 6747 Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 6745 Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 8052 Spur gear, 39-tooth (32-pitch)
- 8053 Spur gear, 45-tooth (32-pitch)

Ready-To-Race Model

- 92046-4 TRX-4® High Trail Edition™ with 1979 Ford® F-150® Truck Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System

Scale Details

- 8120X Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
- 8422-BLK Fire extinguisher, black (2)
- 8422 Fire extinguisher, red (2)
- 8022T Fuel canisters (black) (2)/ screw pin
- 8022R Fuel canisters (blue) (2)/ screw pin
- 8022-GRN Fuel canisters (green) (2)/ screw pin
- 8022 Fuel canisters (red) (2)/ screw pin
- 8022X Fuel canisters (white) (2)/ screw pin
- 8022A Fuel canisters (yellow) (2)/ screw pin
- 8023 Jack (1)/ 2x8 BCS (1)
- 8023T Jack (black) (1)/ 2x8 BCS (1)
- 8122-BLK Shovel/ axe (black)/ accessory mount/ mounting hardware
- 8122 Shovel/ axe/ accessory mount/ mounting hardware
- 8121X Traction boards, blue/ mounting hardware
- 8121G Traction boards, green/ mounting hardware
- 8121A Traction boards, yellow/ mounting hardware
- 8121 Traction boards/ mounting hardware

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (GTS)

- 8266A Body, GTS shock (aluminum, blue-anodized) (1)
- 8266G Body, GTS shock (aluminum, green-anodized) (1)
- 8266R Body, GTS shock (aluminum, red-anodized) (1)
- 8266 Body, GTS shock (aluminum, silver-anodized) (1)
- 8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
- 8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
- 5475 Multi-tool (plastic)
- 8261 Piston, damper (red) (4)/ e-clips (8)
- 8262 Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)
- 8263 Shock shaft, 3x47mm (GTS) (2)
- 8263T Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
- 8260X Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
- 8260A Shocks, GTS, blue-anodized (assembled with spring retainers) (2)
- 8260G Shocks, GTS, green-anodized (assembled with spring retainers) (2)

Steering Components

- 8232 Caster blocks (portal drive), left & right
- 8232X Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
- 8232A Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
- 8232G Caster blocks, 6061-T6 aluminum (green-anodized), left and right
- 8232R Caster blocks, 6061-T6 aluminum (red-anodized), left and right
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
- 8276 Rod ends (10)
- 8277 Rod ends, angled 10-degrees (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 8278 Rod ends, offset (4)
- 8247X Servo horn, steering, metal/ 3x14 BCS (1)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 8246 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
- 8243 Suspension link, front, 5x100mm (lower) (steel) (2)
- 8244 Suspension link, front, 5x63mm (upper) (steel) (2)
- 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

Suspension Linkage

| | |
|------|---|
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Team Traxxas Items

| | |
|------|---|
| 2514 | Decal sheet, racing sponsors |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-----------|---|
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168X | Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168G | Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168R | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168 | Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8152 | Center caps, wheel (satin chrome) (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 8174 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) |
| 8182 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) |
| 8166 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) |
| 8177 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) |
| 8166X | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) |
| 8183X | Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) |
| 8159X | Tires & wheels, assembled, glued (2.2" chrome wheels, Canyon Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2))/ decal sheet (requires #8255A extended thread stub axle) |
| 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 8159 | Tires & wheels, assembled, glued (2.2" satin chrome wheels, Canyon Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 8273 | Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8272X | Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8272 | Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8179 | Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) |
| 8181-BLUE | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |

| | |
|-----------|--|
| 8181-GRN | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8181-RED | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8172 | Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) |
| 8181 | Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit) |
| 8270 | Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) |
| 8170 | Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) |
| 8165 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) |
| 8175 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) |
| 8173 | Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) |
| 8173A | Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) |
| 8158X | Wheels, 2.2", chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 8158 | Wheels, 2.2", satin chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8180 | Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit) |
| 8271 | Wheels, TRX-4® 1.9 (2) |
| 8271X | Wheels, TRX-4® 1.9 (satin beadlock) (2) |
| 8178 | Wheels, TRX-4® Sport 1.9 (2) |
| 8180-BLUE | Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) |
| 8180-GRN | Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) |
| 8180-RED | Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) |
| 8268 | Wheels, TRX-4® Tactical 1.9 (2) |

Transmission Components

| | |
|-------|---|
| 8283 | Cable, T-lock (front) |
| 8284 | Cable, T-lock (rear) |
| 9283 | Cable, T-lock, rear (185mm) |
| 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) |
| 8289 | Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage |
| 8293X | Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) |
| 8291 | Gearbox housing (includes main housing, front housing, & cover) |
| 8285 | Gears, transfer case (3) |
| 5041 | Grease, premium high performance (20cc) |
| 8292 | Input shaft/ output shaft (transmission) |
| 8290X | Motor mount plate, 6061-T6 aluminum (blue-anodized) |
| 8290A | Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290G | Motor mount plate, 6061-T6 aluminum (green-anodized) |
| 8290R | Motor mount plate, 6061-T6 aluminum (red-anodized) |
| 8295 | Output drive, transmission or differential (pin retainer (1) drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8294 | Output gear, high range, 24T (metal) |
| 8286 | Output shafts (transfer case), front & rear |
| 8290 | Plate, motor/ upper spur gear cover |
| 8249 | Slipper eliminator plate |
| 8296 | Transmission gears, single speed, metal |
| 8196 | Two speed conversion kit |

Traxxas Tools

| | |
|-------|-------------------------------|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |

- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

TRX-4® Traxx®

- 8889 Bearing retainers, inner (2)/ outer (2)
- 8890 Drive wheel (1)
- 8885 Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
- 8888 Spring (4)
- 8887 Stub axle (1)
- 8886 Stub axle nut (4)
- 8891 Tension wheels (6)/ road wheels (4)
- 8881 Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
- 8882 Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
- 8883 Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
- 8884 Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
- 8880 Traxx®, TRX-4® (4) (complete set, front & rear)
- 8895 Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
- 8896 Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM